



Gelaste rechthoekige buizen, koudgevormd (6m of 12m)

Toleranties en afmetingen: EN 10219-2:2006

Profiel (HxBxT)	Voorraad (blank)	Handelsgewicht (kg/m)	Dimensies			
			H	B	T	R1
20x10x1		0,43	20	10	1	2,0
20x10x1,5		0,60	20	10	1,5	3,0
20x10x2		0,75	20	10	2	4,0
25x15x1		0,59	25	15	1	2,0
25x15x1,5		0,84	25	15	1,5	3,0
25x15x2		1,07	25	15	2	4,0
30x15x1		0,67	30	15	1	2,0
30x15x1,5		0,96	30	15	1,5	3,0
30x15x2	✓	1,23	30	15	2	4,0
35x20x1,5		1,08	35	20	1,5	3,0
35x20x2		1,39	35	20	2	4,0
30x20x3		1,93	30	2	3	6,0
35x20x1,5		1,20	35	20	1,5	3,0
35x20x2		1,55	35	20	2	4,0
40x10x1,5		1,08	40	10	1,5	3,0
40x20x1,5		1,32	40	20	1,5	3,0
40x20x2	✓	1,71	40	20	2	4,0
40x20x3	✓	2,41	40	20	3	6,0
40x25x1,5		1,44	40	25	1,5	3,0
40x25x2		1,87	40	25	2	4,0
40x30x1,5		1,56	40	30	1,5	3,0
40x30x2	✓	2,03	40	30	2	4,0
40x30x3		2,80	40	30	3	6,0
50x20x1,5		1,56	50	20	1,5	3,0
50x20x2	✓	2,03	50	20	2	4,0
50x20x3		2,89	50	20	3	6,0
50x25x1,5		1,68	50	25	1,5	3,0
50x25x2		2,19	50	25	2	4,0
50x25x2,5		2,67	50	25	2,5	5,0
50x25x3		3,13	50	25	3	6,0
50x30x1,5		1,80	50	30	1,5	3,0
50x30x2		2,35	50	30	2	4,0
50x30x2,5		2,87	50	30	2,5	5,0
50x30x3	✓	3,37	50	30	3	6,0
50x30x4		4,28	50	30	4	8,0
50x40x2		2,67	50	40	2	4,0
50x40x3	✓	3,85	50	40	3	6,0
50x40x4		4,92	50	40	4	8,0
60x20x2	✓	2,35	60	20	2	4,0
60x25x2		2,51	60	25	2	4,0
60x25x2,5		3,07	60	25	2,5	5,0
60x30x1,5		2,04	60	30	1,5	3,0
60x30x2		2,67	60	30	2	4,0
60x30x2,5		3,27	60	30	2,5	5,0
60x30x3	✓	3,85	60	30	3	6,0
60x30x4		4,92	60	30	4	8,0
60x40x1,5		2,28	60	40	1,5	3,0
60x40x2		2,99	60	40	2	4,0
60x40x2,5		3,67	60	40	2,5	5,0
60x40x3		4,33	60	40	3	6,0
60x40x4		5,56	60	40	4	8,0
60x40x5		6,68	60	40	5	10,0
60x50x3		4,81	60	50	3	6,0
70x30x2		2,99	70	30	2	4,0
70x30x4		5,56	70	30	4	8,0




Profiel (HxBxT)	Voorraad (blank)	Handelsgewicht (kg/m)	Dimensies			
			H	B	T	R1
70x40x2		3,31	70	40	2	4,0
70x40x3		4,81	70	40	3	6,0
70x40x4		6,20	70	40	4	8,0
70x50x3		5,29	70	50	3	6,0
70x50x4		6,84	70	50	4	8,0
80x40x2		3,63	80	40	2	4,0
80x40x3	✓	5,29	80	40	3	6,0
80x40x4		6,84	80	40	4	8,0
80x40x5		8,28	80	40	5	10,0
80x50x2		4,02	80	40	2	4,0
80x50x3		5,77	80	50	3	6,0
80x50x4		7,48	80	50	4	8,0
80x50x5		9,08	80	50	5	10,0
80x60x3		6,25	80	60	3	6,0
80x60x4		8,12	80	60	4	8,0
80x60x5		9,88	80	60	5	10,0
90x50x3		6,25	90	50	3	6,0
100x40x2		4,27	100	40	2	4,0
100x40x3		6,25	100	40	3	6,0
100x40x4		8,12	100	40	4	8,0
100x50x3		6,73	100	50	3	6,0
100x50x4		8,76	100	50	4	8,0
100x50x5		10,68	100	50	5	10,0
100x50x6		12,51	100	50	6	12,0
100x60x3		7,21	100	60	3	6,0
100x60x4		9,40	100	60	4	8,0
100x60x5		11,48	100	60	5	10,0
100x60x6		13,47	100	60	6	12,0
100x80x3		8,17	100	80	3	6,0
100x80x4		10,68	100	80	4	8,0
100x80x5		13,08	100	80	5	10,0
100x80x6		15,39	100	80	6	12,0
120x40x3		7,21	120	40	3	6,0
120x40x4		9,40	120	40	4	8,0
120x60x3		8,17	120	60	3	6,0
120x60x4	✓	10,68	120	60	4	8,0
120x60x5		13,08	120	60	5	10,0
120x60x6		15,39	120	60	6	12,0
120x80x3		9,13	120	80	3	6,0
120x80x4		11,96	120	80	4	8,0
120x80x5		14,68	120	80	5	10,0
120x80x6		17,31	120	80	6	12,0
140x70x3		9,61	140	70	3	6,0
140x70x4		12,60	140	70	4	8,0
140x70x5		15,48	140	70	5	10,0
140x70x6		18,27	140	70	6	12,0
140x80x3		10,09	140	80	3	6,0
140x80x4		13,24	140	80	4	8,0
140x80x5		16,28	140	80	5	10,0
150x50x3		9,13	150	50	3	6,0
150x50x4		11,96	150	50	4	8,0
150x50x5		14,68	150	50	5	10,0
150x75x3		10,33	150	75	3	6,0
150x75x5		16,68	150	75	5	10,0
150x75x6		19,71	150	75	6	12,0
150x100x3		11,53	150	100	3	6,0
150x100x4		15,16	150	100	4	8,0
150x100x5		18,68	150	100	5	10,0
150x100x6		22,11	150	100	6	12,0



Profiel (HxBxT)	Voorraad (blank)	Handelsgewicht (kg/m)	Dimensies			
			H	B	T	R1
160x80x5		17,88	160	80	5	10,0
160x80x6		21,15	160	80	6	12,0
160x80x7		24,30	160	80	7	14,0
160x80x8		27,35	160	80	8	20,0
180x80x3		12,01	180	80	3	6,0
180x80x4		15,80	180	80	4	8,0
180x80x5		19,48	180	80	5	10,0
180x80x6		23,07	180	80	6	12,0
200x100x4		18,36	200	100	4	8,0
200x100x5	✓	22,68	200	100	5	10,0
200x100x6		26,91	200	100	6	12,0
200x100x8		34,59	200	100	8	20,0
200x100x10	✓	42,05	200	100	10	25,0
200x120x6		28,83	200	120	6	12,0
200x150x8		40,99	200	150	8	20,0
200x150x10		50,05	200	150	10	25,0
250x100x5		26,68	250	100	5	10,0
250x100x6		31,71	250	100	6	12,0
250x100x8		40,99	250	100	8	20,0
250x100x10		50,05	250	100	10	25,0
250x150x5		30,68	250	150	5	10,0
250x150x6		36,51	250	150	6	12,0
250x150x8		47,39	250	150	8	20,0
250x150x10		58,05	250	150	10	25,0
300x100x5		30,68	300	100	5	10,0
300x100x6		36,48	300	100	6	12,0
300x100x8		47,36	300	100	8	20,0
300x200x8		60,19	300	200	8	20,0
300x200x10		74,05	300	200	10	25,0

✓ is op voorraad, andere profielen zijn verkrijgbaar op bestelling



Metaleuven ijzermagazijn

Aarschotsesteenweg 106

B-3012 Wilsele

ijzermagazijn@metaleuven.be

Openingstijden:

Maandag tot donderdag

8:00 tot 12:00 - 12:30 tot 16:30

Vrijdag

8:00 tot 12:00 - 12:30 tot 14:30